

**69 – 74 (Canceled)**

75. (Previously presented) A method of annotating Java™ -based charts comprising the steps of:  
retrieving chart data using a hypertext transfer protocol from a remote world-wide web accessible server system using a Java™ based applet program executing within a browser program on a local file system;

wherein said Java based applet program has access to I/O and/or storage resources of said remote server system, but not of said local file system;

presenting said chart data under control of said Java™ based applet in graphical form in a display window on said local system for viewing by a user; and

receiving annotation data under control of said Java™ based applet, said annotation data being specified by said user interacting with said chart data in said display window;

wherein said annotation data is created directly within the browser program and includes at least one of the following for said chart data: trend lines and/or descriptive labels and/or calculations;  
and

transmitting at least said annotation data using said hypertext transfer protocol to said remote world-wide web accessible server system in response to said user requesting capture of said annotation data;

converting said annotation data and said chart data into a modified data file at said remote computing system, which modified data file is accessible to said Java™ based applet;

opening said modified data file using said Java™ based applet and browser program so that said user can display, store and/or output said data file using said local file system.

76. (Original) The method of claim 75, further including a step of compressing said annotation data before it is transmitted to said remote server system.

77. (Original) The method of claim 76, wherein said annotation data is compressed into a GIF format.

78. (Original) The method of claim 75, wherein said annotation data is specified by said user using a computer mouse to modify said chart data.

79. (Original) The method of claim 75, wherein said chart data includes historical stock prices for one or more securities.

80. (Original) The method of claim 75, wherein said annotation data is initially captured within a window display buffer of said local file system, but cannot be directly output to said local file system because of restrictions on said Java™ based applet.

81. (Original) The method of claim 75, further including a step of executing a script program at said remoter server system to convert and store said modified data file.

82. (Original) The method of claim 75, wherein said modified data file is opened within a second display window separate from said display window.

### 83 – 88 (Canceled)

89. (Previously presented) A method of generating a Java™ -based chart comprising the steps of:

retrieving chart data using a hypertext transfer protocol from a remote world-wide web accessible server system using a Java™ based applet program executing within a window of a browser program on a client computing system;

wherein said chart data relates to a price history for a company stock;

presenting said chart data in graphical form in said window for viewing by a user as a visual historical price chart for said company stock;

wherein said visual historical price chart is generated using display data from a window data buffer used by said Java™ based applet;

providing a set of user selectable commands within said window for permitting said user to annotate said visual historical price chart directly at said client computing system, including with one or more annotation items;

wherein said annotation items include at least one of the following for said visual historical price chart: trend lines and/or descriptive text labels provided by said user;

modifying said display data directly at said client computing system in said window data buffer based on said user annotating said historical chart with one or more of said annotation data items to generate modified display data;

wherein said user can see both said visual historical price chart as well as such user-supplied annotation data items in said window of said browser program using said modified display data.

90. (Previously presented) The method of claim 89, wherein said user can also alter an appearance of said window by removing data from said window.

91. (Original) The method of claim 89, wherein said user can present chart data for more than one company stock within said window, and such that different colors are used for displaying visual historical price charts for different company stocks.
92. (Original) The method of claim 89, wherein said modified display data can be captured in permanent form by transmitting the same to the remote server.
93. (Original) The method of claim 89, wherein said user can provide said annotation items using a computer mouse or a keyboard coupled to said client computing system.